



### Standards

EN140: 1998 Mask Body  
EN143: 2000+A1: 2006 P3 RD  
EN166 Class 2.F. K.N. (Anti-Fog & Anti-Scratch)  
CE 0194

### Efficiency

P3 >99,95% for 0,3 µ particulate

### Shelf Live


5 years (mask & filters) See storage conditions on Instructions for Use.  
Filters are re-usable and changeable.

### Material

- Mask:** Medical grade TPE Conforms to ISO 10993-10: 2010 for irritations. Mask body latex and silicone free, odour free. Valve Body in Nylon, Inhalation/Exhalation diaphragm in Silicone. 4 point adjustable elasticated head and neck strap with comfort pad in TPE.
- Filters:** Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated.
- Goggle:** Polycarbonate with flow coating overmolded into soft TPE, permanently attached to the mask body by stainless steel clips.

### Production

United Kingdom  
100% of filters NaCl Tested



**Encapsulation (patented technology)**  
645 mm; length of actual media in each filter

	Code	Description	Quantity
	SPR407(S/M) SPR406 (M/L)	P3 Elipse Integra complete with P3 filters	5 pcs. per box
	SPR316	Elipse P3 replacement filters	10 sets of 2 pcs. per box
	SPM007	Integra case	5 pcs. per box
	SPM520	Peel off visor x 10	10 sets per box
	SPM414	Portacount Face Fit Kit adaptor	50 sets of 10 pcs. per box

## Applications - dust, mist and fumes

### Grinding



Metal Fumes and Dust



### Construction

Silica Dust, Abestos, Concrete Dust, Stone Dust, Aggregate Dust, Wood Dust, Cement Dust, Mold



### Mining

Coal Dust, Silica Dust

### Manufacturing



Glass Fibres, Composite Fibres, Lead Fumes



### Food

Poultry, Powders (Dairy), Spices, Grain Dust



### Pharmaceutical

Powders, Viruses